

Reviewed on 5/9/16

## SAFETY DATA SHEET

# **SECTION 1. Product and Company Identification**

PRODUCT NAME: Alcohol Preparation Pads/Swab

**RECOMMENDED USE:** Topical skin antiseptic

Product Code: AM-20200, 1113, 1114, 1116, PK-1114

Manufacturer's

**Dynarex Corporation** 

Name:

Manufacturer's

10 Glenshaw Street

Address:

Orangeburg, NY 10962

Emergency or

888-DYNAREX or 845-365-8200

Serious eye damage/eye irritation

Information Phone

At other times, contact the local Poison Control Center

No.:

## **SECTION 2. Hazards Identification**

Physical hazards

Flammable solids

Category 1 Category 2A

Health hazards Environmental hazards Not determined.

OSHA defined hazards None additional.





Corporate Headquarters

10 Glenshaw Street, Orangeburg, NY 10962 Tel: 845,365,8200 • Fax: 845,365,8201

Toll-Free: 888.DYNAREX

## Label elements



Signal word Hazard statement



Danger Flammable solid

Causes serious eye irritation

## Precautionary statement

Prevention

Keep away from heat/sparks/open flames/hot

surfaces - No smoking. Use only in a well-ventilated

area.

Response

If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. In case of

fire: use appropriate media to extinguish.

Storage

Store in a well-ventilated place.

Disposal

Dispose of waste and residues in accordance with

local authority requirements.

Hazard(s) not otherwise Classified (HNOC)

None known.





Corporate Headquarters

10 Glenshaw Street, Orangeburg, NY 10962

Tel: 845.365.8200 - Fax: 845.365.8201

Toll-Free: 888.DYNAREX

## Supplemental information

## Main Hazards:

Highly flammable; irritation to eyes; vapor may cause drowsiness and dizziness

#### Absorption:

Eye contact; ingestion; inhalation; skin contact

### Carcinogenic Status:

Not considered carcinogenic by NTP, IARC, and OSHA

#### Target Organs:

Central nerves system; skin; eye; liver; respiratory system

## Health Effects:

## Eyes

Liquid, mist or vapor will cause conjunctival irritation and possible corneal damage.

#### Skin

Repeated or prolonged contact may produce defatting of the skin leading to irritation and dermatitis. Liquid may be absorbed through the skin but not in toxicologically significant amounts, unless the contact area is large and under prolonged exposure.

#### Ingestion

Swallowing a small amount may have the effect of any of these symptoms: irritation of mouth, throat, digestive tract, and central nerves system depression.

A large dose may have the effect of any of these symptoms: dizziness, drowsiness, headache, mental confusion, nerve damage leading to numbness





Toll-Free: 888.DYNAREX

and muscle weakness, fall of blood pressure, liver damage, lung damage.

#### Inhalation

Exposure to vapor may have the effect of any of these symptoms: irritation of nose, throat and respiratory tract, central nerve system depression.

Exposure to vapor at high concentration may have the effects of any of these symptoms: dizziness, drowsiness, headache, mental confusion, lung damage, fall of blood pressure, liver damage, nerve damage leading to numbness and muscle weakness.

**SECTION 3. Composition/information on Ingredients** 

Hazardous Ingredients (specific)	% Composition	CAS Number
Isopropyl Alcohol (2-Propanol)	70%	67-63-0
Inactive Ingredient		
Water	30%	7732-18-5

## **SECTION 4. First-aid measures**

#### Eyes:

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

## Skin:

Immediately flood the affected skin area with large quantity of water, perferably under a shower. Remove contaminated clothing and continue washing. Contaminated clothing should be washed throughly before re-use. Obtain medical attention if blistering of the skin occures or redness persists.

## Ingestion:

Do not induce vomiting. Have victim drink serval large glasses of water to dilute the stomach contents. Give the victim oxygen if he/she has difficulty in



Page 4 of 11



Corporate Headquarters

10 Glenshaw Street, Orangeburg, NY 10962

Tel: 845.365.8200 • Fax: 845.365.8201

Toll-Free: 888.DYNAREX

breathing. Obtain medical attention immediately.

#### Inhalation:

Remove the victim from exposure immediately. Give the victim oxygen if he/she has difficulty in breathing. Obtain medical attention immediately.

## MEDICAL PERSONNEL:

Monitor the victim for systemic secondary effects on liver and kidney functions. Support and treat as appropriate.

## **SECTION 5. Fire-fighting measures**

Flash Point -

20°C/68°F

Boiling Point -

80°C/176°F

Extinguishing Media –

Dry Chemical or Alcohol Type Foam, Carbon Dioxide

Be aware of the possibility of re-ignition. Keep containers and surroundings cool with water spray.

### Unusual Fire and Explosion Hazards -

Class 3 Flammability. Vapor can travel a considerable distance to a source of ignition and flashback. Flashback can occur if air temperature exceeds flash point. Be aware the possibility of re-ignition.

## <u>Special Fire Fighting Procedures –</u>

Handle as Flammable Liquid. Use Respiratory Protection. Wear full protective clothing for Fire Fighting Personnel.

## **SECTION 6. Accidental release measures**

Flush spills with water.



Page 5 of 11



- Contain and absorb using soil, sand, or other inert material.
- Vapor can accumulate in low areas. Consider the need for evacuation.
- Prevent the material from entering drains or water courses.

## **SECTION 7. Handling and storage**

- Eliminate all sources of ignition. Store away from heat.
- Store in well ventilated area.
- Handle as flammable liquid. Follow local, state and federal regulations.
- Avoid inhaling vapor. Avoid contact with eyes, skin and clothing.
- Wear eye protection if splashing is expected.
- Wear appropriate protective clothing.
- Use respirator if exposure level is high when handling bulk liquid.
- Keep container tightly closed when not in use.

# SECTION 8. Exposure controls/personal protection

- OSHA Occupation Exposure Standards PEL 400ppm (980mg/m3) 8h TWA
- UK EH40: OES 400ppm (980mg/m3) 8h TWA
- UK EH40: OES 500ppm (1225mg/m3) 15min TWA
- ACGIH: TLV 200ppm (980mg/m3) 8h TWA
- ACGIH: STEL 400ppm (1225mg/m3) 15min TWA
- Personal Protective Equipment
  - o Gloves
  - Eye
  - Clothing

# SECTION 9. Physical and chemical properties

Appearance – Liquid Saturated Towelette / Pad / Swab



Page 6 of 11



Color -

Clear

Odor –

Alcohol

Vapor Density -

2.1 (Air = 1)

Viscosity (cSt) -

2.9 cps at <@2> °C

Evaporation Rate - Environmental Dependent

Water Solubility - Complete

Specific Gravity - 0.8405

# **SECTION 10. Stability and reactivity**

Stability -

Conditions to Avoid -

Incompatibility -

Hazardous Decomposition or By-product -

Polymerization -

Stable under normal conditions

None

None

Oxides of carbon

Will Not Occur.

# **SECTION 11. Toxicological information**

## Acute Toxicity

- Low level of acute toxicity predicted.
- May be harmful by skin absorption.
- Oral LD50 (rat) 5045mg/kg.
- Dermal LD50 (rabbit) 12800mg/kg.
- Inhalation LCLO (rat) 1600ppm 4h.

## Chronic Toxicity / Carcinogenicity

- Material not expected to cause long-term adverse health effects.
- Material not classifiable as to its carcinogenicity to humans (Group 3).
- Chronic / Sub-chronic studies resulted in adverse effects to:





Toll-Free: 888.DYNAREX

 Liver, spleen, biochemical effects, brain tissue degeneration, changes in reflex behavior, sensory nerve damage.

## **Genealogy Toxicity**

Material is not expected to cause any mutagenic effects.

## Reproductive / Developmental Toxicity

- Material is not expected to cause reproductive of developmental health effects.
- Experimental studies in animals have provided some evidence of embryo / fetus toxicity and birth defects only at does producing marked maternal toxicity.

# **SECTION 12. Ecological information**

- Mobility
- If released to soil, IPA is expected to have very high mobility
- Persistence / Degradability
- IPA is readily degraded in aerobic aqueous systems.
- Bio-accumulation
- Low potential for bio-concentration in aquatic organisms

# **SECTION 13. Disposal considerations**

- Transfer into suitable containers for recovery or disposal.
- Dispose in accordance with all applicable local and national regulations.
- Do not remove labels from container until the container has been cleaned.
- Do not cut, puncture or weld on or near the container.
- Do not incinerate closed containers.
- Empty containers may contain hazadous residues



Page 8 of 11



# **SECTION 14. Transport information**

**US DOT Information:** 

Shipping Name: Not applicable Hazard Class: Not applicable

UN/NA #: Not regulated per 49 CFR, Special Provision 47 (for rail

and road transport in the USA)

Packing Group: Not applicable

Required Label(s): Not applicable

Additional Information: No additional information available

IATA Information:

Shipping Name: Not applicable Hazard Class: Not applicable

UN#: Not regulated, as per IATA, Special Provision A46

Packing Group: Not applicable Required Label(s): Not applicable

Additional information: Consult current IATA regulations prior to

shipping by air

**IMDG** Information:

Shipping Name: Not applicable Hazard Class: Not applicable

UN#: Not regulated, as per IMDG Code, Spec al Provision 216

Packing Group: Not applicable Required Label(s): Not applicable

Additional information: No additional information available





Toll-Free: 888.DYNAREX

**TDG Information:** 

Shipping Name: Not applicable Hazard Class: Not applicable

UN#: Not regulated

Packing Group: Not applicable Required Label(s): Not applicable

Additional information: No additional information available

# **SECTION 15. Regulatory information**

This product is compliant with the following:

- EU Label: Classification and labeling have been performed according to EU Directive 67/548/EEC and 99/45/EC including amendments
- EU Hazard Symbol and Indication of Danger
- F Highly flammable
- Xi Irritant
- R11 Highly flammable
- R36 Irritating to eyes
- R67 Vapors may cause drowsiness and dizziness
- S2 Keep out of reach of children
- S7 Keep container tightly closed
- S16 Keep away from sources of ignition No smoking
- S24 / S25 Avoid contact with skin and eyes
- S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- US (Federal and State) Regulations and International Chemical Registration Laws TSCA listing
- This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Inventory





Toll-Free: 888.DYNAREX

 This product does not contain any chemicals subject to EPA Title III of the SARA Listing in Sections 302 and 304

 All ingredients in this product are listed on the European Inventory of Existing Commercial Chemical Substance (EINECS Listing) or are exempted from listing

 All ingredients in this product are listed on the Canada Domestic Substance List (DSL Listing)

## **SECTION 16. Other information**

Disclaimer:

This Safety Data Sheet, which takes into consideration the requirements of Directive 76/768/EC and subsequent amendments and Directive 1999/45/EC plus subsequent amendments, has been prepared in accordance with Directive (EC) 1907/2006. It is believed to be correct and corresponds to the latest scientific/technical knowledge but all data, instructions, recommendations and/or suggestions are made without guarantee. No warranty, expressed or implied, is made and Dynarex Corp. assumes no legal responsibility or liability resulting from its use.

