Saf GHS	ety Data VERSIO	a Sheet N			K	K IWO [™]	
Article Print o Versio	date	21375 7/20/2016 1.7	KIWOCOL POL Revision date 7 Issue date 7/18	/18/2016	Page 1 / 6		
1.	Identifica	tion of the sub	ostance/mixture a	nd of the company/	undertaking		
1.1.	Product ic	lentifiers					
		(manufacturer/su		21375 KIWOCOL POLY	-PLUS S		
1.2.	Relevant i	dentified uses o	f the substance or I	mixture and uses adv	ised against		
		dentified uses duction for scree	n and textile printing.	Reserved for industria	al and professional use.		
1.3.	Details of	the supplier of t	he safety data shee	t			
	supplier (I KIWO Inc.		porter/downstream	user/distributor)			
	1929 Marv Seabrook, USA			Telephone: +1 28 Telefax: +1 281-4			
1.4.	-	y telephone nur y telephone:	nber	1-800-255-3924 /	+1 813-248-0573 (ChemTe	əl)	
2.	Hazards	identification					
2.1.	Classification of the substance or mixture Classification according to GHS This mixture is classified as hazardous according to GHS						
	Skin Irrit. 2	2 / H315	skin corrosion/iri	ritation	Causes skin irritation	1.	
2.2. Label elements							
	The product is classified and labelled according to GHS. Labelling according to GHS Hazard pictograms Warning						
	Hazard sta H315		ses skin irritation.				
		Precautionary statements					
	P280 Wear protective gloves and eye/face protection.						
	contains.	n.a.					
2.3.	Other haz	ards					
3.	Composi	tion / Informat	ion on ingredients	5			
3.2.	Mixtures		-				
	Product description / chemical characterization						
	Description Mixture of components, as listed below, with nonhazardous constituents						
	-	Hazardous ingredients					
		Classification according to GHS					
	EC No.	REA	CH No.				
	CAS No. INDEX No		nical name sification:			Wt % Remark	
		. 0133				Nomurk	
			aneacrylate oligome Irrit. 2 H319 / Skin I			10 - 30	
	213-426-9					1 5	

947-19-3

1 - 5

Article No.: Print date /ersion	21375 7/20/2016 1.7	KIWOCOL POLY-PLUS S Revision date 7/18/2016 Issue date 7/18/2016	Page 2 / 6
226-827	' -9		
5495-84	Ac	sopropyl-9H-thioxanthen-9-one ute Tox. 4 H302 / Acute Tox. 5 H333 / I 17 / STOT SE 3 H335	0.1 - 1 Eye Irrit. 2B H320 / Skin Sens. 1
55965-8 613-167	7-00-5 and Ac	action mass of: 5-chloro-2-methyl-4-isothia d 2-methyl-2H -isothiazol-3-one [EC no. 22 ute Tox. 3 H331 / Acute Tox. 3 H311 / / H314 / Skin Sens. 1 H317 / Aquatic Ac 10	20-239-6] (3:1) Acute Tox. 3 H301 / Skin Corr.

Full text of classification: see section 16

4. First-aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap.Remove contaminated, saturated clothing immediately.

After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Seek medical advice immediately.Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide Water mist Foam

Extinguishing media which must not be used for safety reasons: strong water jet

5.2. Special hazards arising from the substance or mixture Gases/vapours, toxic

5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

Additional information

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire.Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area.Remove persons to safety. Do not breathe vapours.See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains in significant quantities. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it

Article No.:21375KIWOCOL POLY-PLUS SPrint date7/20/2016Revision date 7/18/2016Version1.7Issue date 7/18/2016



Page 3 / 6

for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

7. Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin and eyes. Do not inhale vapours or mist. Do no eat, drink or smoke when using this product. Personal protection equipment: refer to chapter 8.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage area.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Additional information

VCI-storage class, see Chapter 15

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

8. Exposure controls / Personal protection

8.1. Control parameters

Occupational exposure limit values:

n.a.

8.2. Exposure controls

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Hand protection

Wear chemical resistant protective gloves.

Eye protection

Wear closed protection glasses.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains in significant quantities.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	
Physical state	liquid
Colour	refer to label
Odour	characteristic
Safety relevant basis data	
Flash point:	

Print of	ADTO	21375 7/20/2016	KIWOCOL POLY-PLUS S Revision date 7/18/2016	
Versio		1.7	Issue date 7/18/2016	Page 4 / 6
	Lower ex Upper ex Vapour p Density Water so pH at 20 Viscosity Initial bo	olubility (g/L)	very soluble 5,50 13000 ing range 0	
9.2.	Other in	formation:		
10.	Stability	y and reactivity		
10.1	Reactivi			
	Chemica	al stability hen applying the rec	commended regulations for storag	e and handling. Further information on correct storage: refer to
10.3.		ity of hazardous rea ay from strong acids		ng agents to avoid exothermic reactions.
10.4.	Conditio	ons to avoid		
10.5.	Incompa	tible materials		
10.6.	Hazardo	us decomposition us decomposition by hitrogen oxides.		e to high temperatures, e.g.: carbon dioxide, carbon monoxide,
11.	Toxicol	ogical informatio	n	
		ation for mixtures an on preparation itself	d used evaluation method accordi available.	ing to GHS
11.1.	Informat	ion on toxicologica	Il effects	
	Acute to	xicity		
	•	gical data are not ava		
			rious eye damage/eye irritation	
		gical data are not av		
	-	ory or skin sensitis		
		gical data are not av		
			ty, mutagenicity and toxicity for	reproduction)
		gical data are not ava		
	-	target organ toxiciting to the second		
		on hazard	ແແນນອ.	
	-	gical data are not ava	ailahle	
		l experience/humar		
	Other ob Prolonge	servations:	ct with the preparation can lead to	irritations of mucous membranes and of skin such as redness,
	Overall /	Assessment on CM	R properties	
	The ingre Remark	edients in this mixtur	e do not meet the criteria for class	sification as CMR category 1A or 1B according to CLP.
	There is	no information availa	able on the preparation itself .	
12.		cal information	•	

overall evaluation

Article No.:	21375	KIWOCOL POLY-PLUS S
Print date	7/20/2016	Revision date 7/18/2016
Version	1.7	Issue date 7/18/2016



	Classification for mixtures and used evaluati Do not store at public landfills.	ion method according to GHS			
12.1.	Toxicity No information available.				
	Long-term Ecotoxicity				
	Toxicological data are not available.				
12.2.	Persistence and degradability Toxicological data are not available.				
12.3.	Bioaccumulative potential Toxicological data are not available.				
	Bioconcentration factor (BCF)				
	Toxicological data are not available.				
12.4.	Mobility in soil Toxicological data are not available.				
12.5.	Results of PBT assessment				
	The substances in the mixture do not meet the	he PBT/vPvB criteria according to REACH, annex XIII.			
12.6.	Other adverse effects				
13.	Disposal considerations				
13.1.	Waste treatment methods				
	Appropriate disposal / Product Recommendation Dispose of waste according to applicable leg	gislation.			
	packaging Recommendation Non-contaminated packages may be recycle	ed.Vessels not properly emptied are special waste.			
14.					
L	No dangerous good in sense of this trans	sport regulation.			
14.1.	UN number				
		n.a.			
14.2.	UN proper shipping name				
14.3.	Transport hazard class(es)				
		n.a.			
14.4.	Packing group	n.a.			
14.5.	Environmental hazards	114.			
	Land transport (ADR / RID / DOT):	n.a.			
	Marine pollutant	n.a.			
14.6.	Special precautions for user				
	Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8				
	Additional information				
	Land transport (ADR / RID / DOT):				
	tunnel restriction code	-			
	Sea transport (IMDG)				

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Article No.:	21375
Print date	7/20/2016
Version	1.7

KIWOCOL POLY-PLUS S Revision date 7/18/2016 Issue date 7/18/2016



Page 6 / 6

not applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe in addition any national regulations!

calculated with mixing rule

Substance/product listed in the following inventories: Listed in TOXIC SUBSTANCES CONTROL ACT (TSCA)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

16. Other information

Full text of classification in section 3:

I un text of classification in	3661011 5.	
Eye Irrit. 2 / H319	Serious eye damage/eye irritation	Causes serious eye irritation.
Skin Irrit. 2 / H315	skin corrosion/irritation	Causes skin irritation.
Acute Tox. 4 / H302	Acute toxicity (oral)	Harmful if swallowed.
Acute Tox. 5 / H333	Acute toxicity (inhalative)	May be harmful if inhaled.
Eye Irrit. 2B / H320	Serious eye damage/eye irritation	Causes eye irritation.
Skin Sens. 1 / H317	respiratory or skin sensitisation	May cause an allergic skin reaction.
STOT SE 3 / H335	Specific target organ toxicity (single exposure)	May cause respiratory irritation.
Acute Tox. 3 / H331	Acute toxicity (inhalative)	Toxic if inhaled.
Acute Tox. 3 / H311	Acute toxicity (dermal)	Toxic in contact with skin.
Acute Tox. 3 / H301	Acute toxicity (oral)	Toxic if swallowed.
Skin Corr. 1B / H314	skin corrosion/irritation	Causes severe skin burns and eye damage.
Aquatic Acute 1 / H400	Hazardous to the aquatic environment	Very toxic to aquatic life.
Aquatic Chronic 1 / H410	Hazardous to the aquatic environment	Very toxic to aquatic life with long lasting effects.
	Eye Irrit. 2 / H319 Skin Irrit. 2 / H315 Acute Tox. 4 / H302 Acute Tox. 5 / H333 Eye Irrit. 2B / H320 Skin Sens. 1 / H317 STOT SE 3 / H335 Acute Tox. 3 / H331 Acute Tox. 3 / H311 Acute Tox. 3 / H301 Skin Corr. 1B / H314 Aquatic Acute 1 / H400	Skin Irrit. 2 / H315skin corrosion/irritationAcute Tox. 4 / H302Acute toxicity (oral)Acute Tox. 5 / H333Acute toxicity (inhalative)Eye Irrit. 2B / H320Serious eye damage/eye irritationSkin Sens. 1 / H317respiratory or skin sensitisationSTOT SE 3 / H335Specific target organ toxicity (single exposure)Acute Tox. 3 / H311Acute toxicity (inhalative)Acute Tox. 3 / H311Acute toxicity (dermal)Acute Tox. 3 / H301Acute toxicity (oral)Skin Corr. 1B / H314skin corrosion/irritationAquatic Acute 1 / H400Hazardous to the aquatic environment

Additional information

Classification for mixtures and used evaluation method according to GHS

The information supplied on this safety data sheet is correct to the best of our knowledge. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.