



RUBBERFLEX SDN.BHD. (Co. NO. 134208-U)

(Manufacturer of Quality Latex Thread)

Head Office: 21st Floor, UBN Tower, Box No 48, No. 10 Jalan P. Ramlee, 50250 Kuala Lumpur, Malaysia.
G.P.O.: Box 11218, 50740 Kuala Lumpur Malaysia. Tel: (603) 20720011 Fax: (603) 20785103
Website: www.rubberflex.com.my Email: info@rubberflex.com.my

Bare Extruded Natural Rubber Thread SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Bare Extruded Natural Rubber (Talc/Silicone Coated)
Company Name:	Rubberflex Sdn Bhd 21st Floor, UBN Tower, Jalan P. Ramlee Box No. 48, 50250, Kuala Lumpur, Malaysia
Telephone No.:	00-603-20720011
Fax No.:	00-603-20785103
Product Name	Bare Extruded Natural Rubber
Chemical Family	Natural Rubber (cis 1,4 polyisoprene)
Packing:	10-45 kg packing/box
Emergency Telephone No.:	00-603-20720011

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Contents:

Natural Rubber
Rubber Accelerator
Rubber Stabiliser
Antioxidant
Vulcanizing Agent
Vulcanizing Activators
Fillers
Anti-tack

SECTION 3: HAZARDS IDENTIFICATION

Classification of the substance
according to Directive 67/548/EEC
or Directive 1989/45/EC:
Labeling according to EU guidelines:
IATA/ICAO HAZARD RATING:

D.O.T. Rating: Not restricted
Risk phrases: Not restricted
Safety phrases:

SECTION 4: FIRST AID MEASURES

General information:

Stability: Stable
After inhalation:
After skin contact:

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing media: Foam, carbon dioxide and water
Special hazards arising from the
substance:
Protective equipment: Not necessary

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions:
Environmental precautions:
Methods and material for
containment and cleaning up

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:

Fire and explosion protection:

Requirements to be met by storeroom: Keep away from sunlight, heat and petroleum products. Store at room and receptacles: temperatures. Avoid freezing conditions.

Information about storage in one common storage facility:

Further information about storage conditions:

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical facilities;

Ingredients with limit values that require monitoring at the work place:

Personal protective equipment:

General protective and hygienic measures; Wash hands with soap after handling.

Respiratory protection: Wear respiratory protection if ventilation is inadequate.

Protection of eyes:

Protection of hands/skin:

This product should not be handled by people who are allergic to natural rubber latex, nor should it come into contact with people who are sensitive to latex.
For those people who are unaware of their sensitivity, it is advised that they should discontinue handling. Symptoms include rashes, itching, sensation of burning, and appearance of bruising, breathing difficulties.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Packed in 20-50 kg boxes and neatly layered ribbon form either in talc or silicone coating.

Form: Single rubber strands fused together in ribbon form

Colour: White, black and cream.

Odor: Latex rubber

pH value

Melting point: n/a

Boiling point: n/a

Flash point: na

Flammability (solid, gaseous)

Ignition temperature:

Self-igniting:

Danger of explosion:

Explosion limits:

Vapor pressure at 20°C

Density:

Breaking point:

Elongation ratio:

Solubility in water:

Segregation coefficient (n-octanol/water):

Viscosity:

Dynamic:

Kinematic:

Solvent content:

Solids content:

SECTION 10: STABILITY AND REACTIVITY

Thermal decomposition/conditions to be avoided:
Incompatibility/Materials
Hazardous Decomposition products:

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity:
Primary Irritant effect
On the skin:
On the eyes:
Sensitization:
Additional toxicological information:

SECTION 12: ECOLOGICAL INFORMATION

Aquatic toxicity:
Persistence and degradability:
Behavior in environmental systems:
Bio-accumulative potential
Ecotoxicological effects:

SECTION 13: DISPOSAL CONSIDERATION

General methods: Dispose of in accordance with local regulations.
Disposal methods:
Disposal of packaging: Contaminated packaging must be disposed of in the same manner as the product.
Non-contaminated packaging may be recycled. Contact your local services provider for more information.

SECTION 14: TRANSPORTATION INFORMATION

General:
UN Number:
Transport hazard class:
Packing group:
Environmental Hazards:
Special precautions for user:

SECTION 15: REGULATORY INFORMATION

Labeling:
Hazard designation product:
Transport hazard class:
Hazard component labeling:
Risk phrases:
Safety phrases: Discontinue handling in the event of skin irritation or rash. Avoid eye contact.
Special labeling:

SECTION 16: OTHER INFORMATION

Issued by: Health and Safety
Revision date:

Disclaimer:

These information are in accordance with the present state of our knowledge, but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. User is advised to evaluate the fitness or suitability of our product for their own use and Rubberflex Sdn Bhd will not be responsible for any damages/claims arising from these data.