



**Hollingsworth
& Vose**

14-May-2015

Regarding: SDS from H&V

Please find the attached GHS compliant SDS. This SDS applies to the following grades.

SDS Reference #: 200028

Selected Country: United States

H&V Grades Included:

1720, 2020,

We appreciate your business and your interest in our products. Please contact your account representative, customer service representative or send an email to the address below should you have any questions regarding this product or the SDS.

email: SDS@hovo.com

WWW.Hollingsworth-Vose.com

North America: +1 508.850.2000

Europe, Middle East, Africa: +49 6101.98167.0

Asia Pacific: +86 512.6767.8600



SAFETY DATA SHEET

1. Identification

Product identifier Resin-Free Textile Nonwoven

Other means of identification

SDS number 200028

Recommended use Apparel and textile applications As supplied, the product is expected to pose no immediate health or fire hazard. Dusts generated during subsequent processing may pose the hazards described in this Safety Data Sheet.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Hollingsworth & Vose

Address 112 Washington Street
East Walpole, MA 02032

Telephone 508-668-0295

E-mail SDS@hovo.com

Emergency phone number 800-451-8346

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Combustible dust

Label elements

Hazard symbol None.

Signal word Warning

Hazard statement May form combustible dust concentrations in air.

Precautionary statement

Prevention Observe good industrial hygiene practices. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Prevent dust accumulation to minimize explosion hazard.

Response Wash hands after handling. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information Not applicable.

3. Composition/information on ingredients

Mixtures

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Irritation of eyes and mucous membranes. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention. Use personal protection recommended in Section 8 of the SDS.

5. Fire-fighting measures

Suitable extinguishing media

Water spray. Water fog. Dry chemical powder. Carbon dioxide (CO2). Apply extinguishing media carefully to avoid creating airborne dust.

Unsuitable extinguishing media

Not available.

Specific hazards arising from the chemical

Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

No unusual fire or explosion hazards noted.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

May form combustible dust concentrations in air.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

For waste disposal, see section 13 of the SDS. Vacuum or sweep up material and place in a disposal container.

7. Handling and storage

Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Explosion-proof general and local exhaust ventilation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Keep away from heat, sparks and open flame. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Cellulose (CAS 9004-34-6)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

US. ACGIH Threshold Limit Values

Components	Type	Value
Cellulose (CAS 9004-34-6)	TWA	10 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Cellulose (CAS 9004-34-6)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total

Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Minimize dust generation and accumulation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Not available.
Other	Normal work clothing (long sleeved shirts and long pants) is recommended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Not applicable.
General hygiene considerations	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment separately from regular wash.

9. Physical and chemical properties

Appearance	Nonwoven Media
Physical state	Solid.
Form	Sheets or rolls.
Color	White.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.

Possibility of hazardous reactions	None known.
Conditions to avoid	Keep away from heat, sparks and open flame. Contact with incompatible materials. Minimize dust generation and accumulation.
Incompatible materials	Not available.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Inhalation of dusts may cause respiratory irritation.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	None known.
Ingestion	None known.

Symptoms related to the physical, chemical and toxicological characteristics None known.

Information on toxicological effects

Acute toxicity	Not available.
Skin corrosion/irritation	May cause irritation through mechanical abrasion.
Serious eye damage/eye irritation	Product dust or powder may cause mechanical eye irritation.

Respiratory or skin sensitization

Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.

Germ cell mutagenicity None.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation of dusts may be harmful

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code Not applicable.

Waste from residues / unused products Dispose in accordance with applicable federal, state, and local regulations.

Contaminated packaging Not applicable.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List.
This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Cellulose (CAS 9004-34-6)

US. New Jersey Worker and Community Right-to-Know Act

Cellulose (CAS 9004-34-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Cellulose (CAS 9004-34-6)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 19-January-2015

Revision date -

Version # 01

Further information Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Disclaimer The information contained in this document is intended merely as a guide to the appropriate handling of the supplied material by a properly trained person. The information may have been gathered from a number of sources, including third parties. While the information is believed to be accurate as of the date this document was compiled, no warranty or representation, express or implied, with respect to the information is being made. It is the recipient's responsibility to ensure the safe handling of the material and to ensure its suitability for the recipient's intended use. Hollingsworth & Vose Company, and its affiliates, accepts no liability for any loss or damage that may occur from the use of this information. The information in the sheet was written based on the best knowledge and experience currently available.



**Hollingsworth
& Vose**

14-May-2015

Regarding: SDS from H&V

Please find the attached GHS compliant SDS. This SDS applies to the following grades.

SDS Reference #: 200078

Selected Country: United States

H&V Grades Included:

1525, 1825, 1885, 2520, 3020, 3045, 9920, 9925, 9930, PA3,

We appreciate your business and your interest in our products. Please contact your account representative, customer service representative or send an email to the address below should you have any questions regarding this product or the SDS.

email: SDS@hovo.com

WWW.Hollingsworth-Vose.com

North America: +1 508.850.2000

Europe, Middle East, Africa: +49 6101.98167.0

Asia Pacific: +86 512.6767.8600



Hollingsworth
& Vose

SAFETY DATA SHEET

1. Identification

Product identifier Textile nonwoven media

Other means of identification

SDS number 200078

Recommended use Textile applications

As supplied, the product is expected to pose no immediate health or fire hazard. Dusts generated during subsequent processing may pose the hazards described in this Safety Data Sheet.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Hollingsworth & Vose
Address 112 Washington Street
East Walpole, MA 02032
Telephone 508-668-0295
E-mail SDS@hovo.com

Emergency phone number 800-451-8346

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Combustible dust

Label elements

Hazard symbol None.

Signal word Warning

Hazard statement May form combustible dust concentrations in air.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Prevent dust accumulation to minimize explosion hazard. Observe good industrial hygiene practices.

Response Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Cellulose	9004-34-6	30 - < 40
Other components below reportable levels		75 - 90

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed	Dusts may irritate the respiratory tract, skin and eyes.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂). Apply extinguishing media carefully to avoid creating airborne dust.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	May form combustible dust concentrations in air.
6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures	Use only non-sparking tools. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk. Collect dust using a vacuum cleaner equipped with HEPA filter. Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water. Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Explosion-proof general and local exhaust ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Cellulose (CAS 9004-34-6)	PEL	5 mg/m3 15 mg/m3	Respirable fraction. Total dust.
Dust	PEL	5 mg/m3 15 mg/m3	Respirable fraction. Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Dust	TWA	5 mg/m3 15 mg/m3 50 mppcf 15 mppcf	Respirable fraction. Total dust. Total dust. Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Cellulose (CAS 9004-34-6)	TWA	10 mg/m3	
Dust	TWA	3 mg/m3 10 mg/m3	Respirable particles. Inhalable particles.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Cellulose (CAS 9004-34-6)	TWA	5 mg/m3 10 mg/m3	Respirable. Total

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear protective gloves. Suitable gloves can be recommended by the glove supplier.

Other

Wear suitable protective clothing.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Nonwoven media.

Physical state Solid.

Form Nonwoven media

Color Various.

Odor None.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Textile nonwoven media

926899 Version #: 01 Revision date: - Issue date: 29-April-2015

SDS US

3 / 7

Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, sparks and open flame. Minimize dust generation and accumulation. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Fluorine.
Hazardous decomposition products	Fire or excessive heat may produce hazardous decomposition products.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics
Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity	Not available.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.

Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. One or more components are not listed on TSCA.
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not listed.
CERCLA Hazardous Substance List (40 CFR 302.4)	Not listed.

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. The information contained in this document is intended merely as a guide to the appropriate handling of the supplied material by a properly trained person. The information may have been gathered from a number of sources, including third parties. While the information is believed to be accurate as of the date this document was compiled, no warranty or representation, express or implied, with respect to the information is being made. It is the recipient's responsibility to ensure the safe handling of the material and to ensure its suitability for the recipient's intended use. Hollingsworth & Vose Company, and its affiliates, accepts no liability for any loss or damage that may occur from the use of this information.

Statement on the requirement of SDS (Safety Data Sheet)

According to the European regulations and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), embroidery threads are not classified hazardous goods. Technical data sheets remain the main source of information for industrial users. Moreover MADEIRA's participation in the **REACH** program (Registration, Evaluation, Authorization and Restriction of Chemicals) and in the **OEKO-TEX®** testing and certification system supports the fact that MADEIRA embroidery threads are free from any dangerous chemical substances. MADEIRA embroidery threads don't represent a health and safety hazard when used for their specific purpose.


Therefore MADEIRA Garnfabrik does not issue Safety Data Sheets for products that are not specifically classified "hazardous goods". However, technical data sheets can be anytime submitted if required by customers.

November 2017

MADEIRA Garnfabrik,
Rudolf Schmidt KG



ppa. Holger Kappus
Deputy Managing Director



MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations

Section 1. Identification

Manufacturers name: **MADEIRA GARNFABRIK**
Address: **Zinkmattenstrasse 38**
Postfach 320
Freiburg 79108
Germany

Emergency Phone: 603-528-2944

Product name: Madeira #40

Chemical name **100% Rayon filament**

Section 2. HAZARDOUS INGREDIENTS

Hazardous Components: **No**
Additives: **No**
Others: **No**

Section 3. PHYSICAL DATA

Form: **Solid**
Melting Point: **N/A Does not melt**
Specific gravity: **1.20 gr/cm³**
Solubility in water: **No**
Appearance and odor: **2 ply rayon embroidery thread. No odor**
Volatile: **No**

Section 4. FIRE AND EXPLOSION DATA

Flash Point: **400° C**
Flammable Limits: **400° C**
Extinguishing media: **Water, Fire extinguisher**
Special Fire Fighting Procedures: **None**
Unusual fire and explosion hazards: **None**

Section 5. REACTIVITY

Stability : Stable
Condition avoid: None
Incompatibility: None
Hazardous decomposition
 or by products: None
Hazardous polymerization: None

Section 6. HEALTH HAZARD INFORMATION

Inhalation: None
Ingestion: None
Skin contact: No effect
Chronic effects of exposure: None known
Eye contact: None known
Carcinogenicity: None

Section 7. DISPOSAL PROCEDURES

Aquatic toxicity: No
Spilled, leaked or released: N/A
Waste Disposal: Landfill or incineration

Section 8. CONTROL MEASURES

Respiratory protection: N/A
Ventilation: N/A
Personal protective equipment: None

Storage conditions: Cool dry storage area, away from heat and light.

Submitted by: MADEIRA USA LTD.
30 BAYSIDE COURT
LACONIA NH 03246

CERTIFICATE

The company

MADEIRA Garnfabrik
Rudolf Schmidt KG
Zinkmattenstraße 38
79108 Freiburg, GERMANY

is granted authorisation according to STANDARD 100 by OEKO-TEX® to use the STANDARD 100 by OEKO-TEX® mark, based on our test report **18.0.44147**



for the following articles:

Coloured embroidery threads (incl. neon colours) made of PES in articles POLYNEON no.40, no.60, no.75, POLYNEON FR and FROSTED MATT; LUNA made of PP/PBT in white and MONOLON made of PA; bobbin threads made of PES in articles BURMILON, BOBBIN THREAD no.150, ROYAL, MAGNA-GLIDE and MAGNETIC SIDED BOBBINS, in white and black; coloured embroidery threads made of CV in articles CLASSIC no.40, no.30, no.60, no.12 and CV-TEC; coloured embroidery threads in article BURMILANA CO made of CO/PAN; highly conductive embroidery threads in qualities HC 40 and HC 12 made of 100 % PA, silver coated, in qualities SILVERSTITCH no.80 and no.120 made of silver coated PES in mixture with PES as well as coloured embroidery threads made of metalized PES in mixture with PES in qualities CR no.40 and CR no.20; partly produced with fibres accepted by OEKO-TEX® having biological active properties; produced by using materials certified according to STANDARD 100 by OEKO-TEX®.


The results of the inspection made according to STANDARD 100 by OEKO-TEX®, Appendix 4, **product class I** have shown that the above mentioned goods meet the human-ecological requirements of the STANDARD 100 by OEKO-TEX® presently established in Appendix 4 for baby articles.

The certified articles fulfil requirements of Annex XVII of REACH (incl. the use of azo colourants, nickel release, etc.), the American requirement regarding total content of lead in children's articles (CPSIA; with the exception of accessories made from glass) and of the Chinese standard GB 18401:2010 (labelling requirements were not verified).

The holder of the certificate, who has issued a conformity declaration according to ISO 17050-1, is under an obligation to use the STANDARD 100 by OEKO-TEX® mark only in conjunction with products that conform with the sample initially tested. The conformity is verified by audits.

The certificate 94.0.6007 is valid until 30.06.2019

Boennigheim, 02.07.2018


Dipl.-Ing. (FH) Elisabeth Panian
Head of Certification Body OEKO-TEX®

