CRO

SAFETY DATA SHEET

1. Identification

Product identifier Lithium General Purpose Grease

Other means of identification

Product code No. 73310 (Item# 1006198)

Recommended use Lubricating grease
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company nameCRC Canada Co.Address2-1246 Lorimar Drive

Mississauga, Ontario L5S 1R2

Canada

Telephone

General Information 905-670-2291

24-Hour Emergency 800-424-9300 (Canada) (CHEMTREC) 703-527-3887 (International)

Website www.crc-canada.ca

E-mail Support.CA@crcindustries.com

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	<u></u>
distillates (petroleum),		64742-65-0	65 - 85
solvent-dewaxed heavy paraffini	С		
lithium hydroxide, monohydrate		1310-66-3	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur. If inhalation of a large amount does occur, call a physician

immediately.

Material name: Lithium General Purpose Grease

No. 73310 (Item# 1006198) Version #: 01 Issue date: 07-26-2017

Wash off with plenty of water. Get medical attention if irritation develops and persists. Wash Skin contact

contaminated clothing before reuse.

Eye contact Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present

and easy to do. Get medical attention if irritation develops and persists.

Rinse mouth. Do not induce vomiting without advice from poison control center. Never give Ingestion

anything by mouth to a victim who is unconscious or is having convulsions. If ingestion of a large

amount does occur, call a poison control center immediately.

Most important

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed **General information**

Direct contact with eyes may cause temporary irritation.

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire fighting

Specific methods

equipment/instructions

General fire hazards

Use fire-extinguishing media appropriate for surrounding materials.

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Use water spray to cool unopened containers. Move containers from fire area if you can do so

without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Prevent product from entering drains. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Avoid release to the environment. Use appropriate container to avoid environmental contamination. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values Components

distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

Value **Form Type TWA** 5 mg/m3 Inhalable fraction.

Material name: Lithium General Purpose Grease

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) **Form** Components Value Type distillates (petroleum), STEL 10 mg/m3 Mist. solvent-dewaxed heavy paraffinic (CAS 64742-65-0) **TWA** 5 mg/m3 Mist. Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) Components Value **Form Type** distillates (petroleum), **TWA** 1 mg/m3 Mist. solvent-dewaxed heavy paraffinic (CAS 64742-65-0) lithium hydroxide, 1 mg/m3 Ceiling monohydrate (CAS 1310-66-3) Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) Components **Form Type** Value TWA distillates (petroleum), Inhalable fraction. 5 mg/m3 solvent-dewaxed heavy paraffinic (CAS 64742-65-0) Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) Components Value Type STEL lithium hydroxide, 1 mg/m3

monohydrate (CAS 1310-66-3)

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)
Type Value Form

distillates (petroleum), STEL 10 mg/m3 Mist.
solvent-dewaxed heavy
paraffinic (CAS 64742-65-0)
TWA 5 mg/m3 Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines No exposure standards allocated.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves such as: Polyvinyl chloride (PVC). Neoprene. Nitrile.

Other Wear appropriate chemical resistant clothing. Wear suitable protective clothing.

Respiratory protection If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a

NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical stateSolid.FormGrease.ColorAmber.

Material name: Lithium General Purpose Grease

Odor Slight petroleum. **Odor threshold** Not available. Ηq Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

range

680 °F (360 °C) estimated

302 °F (150 °C) Cleveland Open Cup Flash point

Evaporation rate Slow.

Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

< 0.005 hPa Vapor pressure Vapor density > 1 (air = 1)Relative density 0.9

Solubility(ies)

Solubility (water) Negligible. Partition coefficient Not available.

(n-octanol/water)

500 °F (260 °C) estimated **Auto-ignition temperature**

Decomposition temperature Not available.

Viscosity 152 mm²/s (104 °F (40 °C))

Other information

Percent volatile 100 % estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

Carbon oxides. Halogenated materials. Metal oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Prolonged skin contact may cause temporary irritation. Eye contact Direct contact with eyes may cause temporary irritation. Ingestion Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not classified.

Product Test Results Species

Lithium General Purpose Grease

Acute Oral

ATEmix 3980.1626 mg/kg

Material name: Lithium General Purpose Grease

SDS CANADA

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

ACGIH Carcinogens

distillates (petroleum), solvent-dewaxed heavy paraffinic A4 Not classifiable as a human carcinogen.

(CAS 64742-65-0)

Canada - Manitoba OELs: carcinogenicity

distillates (petroleum), solvent-dewaxed heavy paraffinic Not classifiable as a human carcinogen.

(CAS 64742-65-0)

IARC Monographs. Overall Evaluation of Carcinogenicity

distillates (petroleum), solvent-dewaxed heavy paraffinic 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-65-0)

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal of waste from residues / unused products

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Not regulated.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not

Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

	involutory manno	• · · · · · · · · · · · · · · · · · · ·
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Inventory name

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

07-26-2017 Issue date

Version #

Disclaimer The information contained in this document applies to this specific material as supplied. It may not

> be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Canada Co.'s knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Canada Co.

No. 73310 (Item# 1006198) Version #: 01 Issue date: 07-26-2017

Material name: Lithium General Purpose Grease SDS CANADA

Yes

On inventory (yes/no)*