

SAFETY DATA SHEET

Preparation Date: 2/5/2018

Revision Date: 2/5/2018

Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: M1292
Product Name: MINERAL SPIRITS

Other means of identification

Synonyms: No information available
CAS #: Mixture
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
 14422 South San Pedro St.
 Gardena, CA 90248
 (310) 516-8000

Order Online At: <https://www.spectrumchemical.com>
Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 3

Label elements

Danger

Hazard statements

Causes skin irritation
 Causes serious eye irritation
 May be fatal if swallowed and enters airways
 May cause drowsiness or dizziness
 May cause damage to organs through prolonged or repeated exposure

Flammable liquid and vapor



Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing must not be allowed out of the workplace
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof electrical/ventilating/lighting/.../equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Wear protective gloves
Wear eye/face protection
Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

In case of fire: Use CO2, dry chemical, or foam to extinguish.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Mineral Spirits	64475-85-0	100

4. FIRST AID MEASURES

First aid measures

General Advice:

National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention. If skin irritation persists, call a physician.

Eye Contact: Flush eyes with water for 15 minutes. Get medical attention.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

Ingestion: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation
Moderately irritating to the skin
Aspiration hazard if swallowed - can enter the lungs and cause damage
Aspiration into the lungs may cause pulmonary edema
Aspiration into the lungs may cause chemical pneumonitis
Central nervous system effects
Central nervous system depression
May cause drowsiness or dizziness
May cause digestive (gastrointestinal) tract irritation

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO₂). Dry chemical. Water spray mist or foam. Alcohol-resistant foam.

Unsuitable Extinguishing Media: Do not use a solid (straight) water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon monoxide; Carbon dioxide

Hazardous Combustion Products: No information available.

Specific hazards: Flammable. May be ignited by heat, sparks or flames. Vapor may travel considerable distance to source of ignition and flash back. Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers, basements, tanks). Container explosion may occur under fire conditions or when heated. Fire may produce irritating, corrosive and/or toxic gases.

Special Protective Actions for Firefighters

Specific Methods: Water mist may be used to cool closed containers. For larger fires, use water spray or fog. Cool containers with flooding quantities of water until well after fire is out.

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions:

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent ignition in closed spaces.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Use clean non-sparking tools to collect absorbed material. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WEEL
------------	---------	------	-------	-------	-----------

Mineral Spirits	64475-85-0	None	None	None	None
-----------------	------------	------	------	------	------

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Mineral Spirits	64475-85-0	None	None	525 mg/m ³ TWA	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
Mineral Spirits	64475-85-0	None	None

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

- Eye protection:** Goggles
- Skin and body protection:** Chemical resistant apron
Long sleeved clothing
Gloves
- Respiratory protection:** Vapor respirator. Be sure to use an approved/certified respirator or equivalent.
- Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid	Appearance: Clear.	Color: Colorless.
Odor: No information available.	Taste No information available.	Formula: No information available
Molecular/Formula weight: No information available	Flammability: Flammable	Flashpoint (°C/°F): 40-41°C/104-105.8 °F
Flash Point Tested according to: Closed cup	Autoignition Temperature (°C/°F): 232-245 °C/449.6-473 °F	Lower Explosion Limit (%): 0.8%
Upper Explosion Limit (%): No information available	Melting point/range(°C/°F): No information available	Decomposition temperature(°C/°F): No information available
Boiling point/range(°C/°F): 149-213 °C/300.2-415.4 °F	Bulk density: No information available	Density (g/cm3): No information available
Specific gravity: 0.77-0.8 @ 20°C	pH: No information available	Vapor pressure @ 20°C (kPa): 0.1-0.5
Evaporation rate:		

No information available

Vapor density:
3.9-5.03

VOC content (g/L):
No information available

Odor threshold (ppm):
No information available

**Partition coefficient
(n-octanol/water):**
No information available

Viscosity:
No information available

Miscibility:
No information available

Solubility:
Insoluble in water

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Incompatible materials.

Incompatible Materials: Oxidizing agents

Hazardous decomposition products: Carbon monoxide. Carbon dioxide. When heated to decomposition it emits acrid smoke and irritating fumes.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:
Ingestion. Skin. Eyes. Inhalation.

Acute Toxicity

Component Information

Mineral Spirits	
CAS-No.	64475-85-0

LD50/oral/rat = > 34600 mg/kg Oral LD50 Rat
LD50/oral/mouse = No information available
LD50/dermal/rabbit = 15400 mg/kg
LD50/dermal/rat = No information available
LC50/inhalation/rat = >21400 mg/m³ Inhalation LC50 Rat 4 h
LC50/inhalation/mouse = No information available
Other LD50 or LC50 information = No information available

Product Information

LD50/oral/rat =

Product code: M1292

Product name: MINERAL SPIRITS

VALUE- Acute Tox Oral = > 34600 mg/kg

LD50/oral/mouse =

Value - Acute Tox Oral = No information available

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = 15400 mg/kg

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = >21400 mg/m³ (4-hr)

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: Contact causes skin irritation. Moderately irritating to the skin. It may be absorbed through the skin.

Eye Contact: Causes serious eye irritation. Moderately irritating to the eyes.

Inhalation May cause irritation of respiratory tract. Inhalation of vapors may cause drowsiness and dizziness. May cause central nervous system effects, central nervous system depression.

Ingestion Aspiration hazard if swallowed. Aspiration into the lungs can cause chemical pneumonitis. Aspiration may lead to pulmonary edema. May cause digestive (gastrointestinal) tract irritation.

Aspiration hazard Aspiration hazard. May be fatal if swallowed and enters airways.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Mineral Spirits	64475-85-0	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure central nervous system.
STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.
Target Organs: No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.

Persistence and degradability: No information available

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:
Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:
Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Mineral Spirits	64475-85-0	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: UN1268
Proper Shipping Name: Petroleum distillates, n.o.s. (mineral spirits)
Hazard Class: 3
Subsidiary Class No information available
Packing group: III
Emergency Response Guide Number 128
Marine Pollutant No data available
DOT RQ (lbs): No information available
Special Provisions 144, B1, IB3, T4, TP1, TP29
Symbol(s): No information available
Description: UN1268, Petroleum distillates, n.o.s., 3, III

TDG (Canada)
UN-No: UN1268

Proper Shipping Name: Petroleum distillates, n.o.s. (mineral spirits)
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: III
Marine Pollutant Description: No Information available
 UN1268, Petroleum distillates, n.o.s., 3, III

ADR

UN-No: UN1268
Proper Shipping Name: Petroleum distillates, n.o.s. (mineral spirits)
Hazard Class: 3
Packing Group: III
Subsidiary Risk: No information available
Description: UN1268, Petroleum distillates, n.o.s., 3, III

IMO / IMDG

UN-No: UN1268
Proper Shipping Name: Petroleum distillates, n.o.s. (mineral spirits)
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: III
Marine Pollutant Description: No information available
EMS: F-E
Special Provisions 223, 955
Description UN1268, Petroleum distillates, n.o.s., 3, III

RID

UN-No: UN1268
Proper Shipping Name: Petroleum distillates, n.o.s. (mineral spirits)
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: III
Description: UN1268, Petroleum distillates, n.o.s., 3, III

ICAO

UN-No: UN1268
Proper Shipping Name: Petroleum distillates, n.o.s. (mineral spirits)
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: III
Description: UN1268, Petroleum distillates, n.o.s., 3, III
Special Provisions A3

IATA

UN-No: UN1268
Proper Shipping Name: Petroleum distillates, n.o.s. (mineral spirits)
Hazard Class: 3
Subsidiary Risk: No information available
Packing Group: III
ERG Code: 3L
Special Provisions No information available
Description: UN1268, Petroleum distillates, n.o.s., 3, III

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
------------	---------	-----------	------------	---------------------	------------	-------	------------------	------------

Mineral Spirits	64475-85-0	Not Listed	Not present	Present	Not present	Present [31220]	Not present	Not present
-----------------	------------	------------	-------------	---------	-------------	--------------------	-------------	-------------

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Mineral Spirits	64475-85-0	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Mineral Spirits	64475-85-0	None	None	None	None	None

U.S. TSCA

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Mineral Spirits	64475-85-0	Not Applicable	Not Applicable

Canada

WHMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

The WHMIS 2015 classification of this product has not been validated or reviewed yet.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

The classification of this product has not been validated yet

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Mineral Spirits	64475-85-0	Present	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Mineral Spirits	64475-85-0	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting

Mineral Spirits	64475-85-0	Not listed
-----------------	------------	------------

EU Classification

EU GHS - SV - CLP 1272/2008

Components	CAS-No.	EU GHS - SV - CLP (1272/2008)
Mineral Spirits	64475-85-0	

EU - CLP (1272/2008)

R-phrase(s)

Not determined

S -phrase(s)

none

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Mineral Spirits	64475-85-0		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

not determined

16. OTHER INFORMATION

Preparation Date: 2/5/2018
Revision Date: 2/5/2018
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet